

Bearing, Seal & Rivet Details

Click on section to jump to that page.

Bearing & Race Details

O-Ring Details

Radial Lip Seal Details

Rivet Details

Seal Ring Details - Scarf, Solid, Square Cut & D-Shape

[Click Here to Return to Table of Contents](#)

O.D.	I.D.	Thick	Item	Detail	Part Number
3.858"	2.728"	.188"	Thrust Bearing	Enclosed	GM-N-17
3.855"	2.653"	.220"	Thrust Bearing	Enclosed	AL-N-1
3.661"	2.593"	.150"	Thrust Bearing	Enclosed	GM-N-18
3.661"	2.598"	.189"	Thrust Bearing	Enclosed	GM-N-20
3.488"	2.315"	.170"	Thrust Bearing	Partially enclosed	TO-N-15
3.391"	2.500"	.140"	Thrust Bearing	Enclosed	GM-N-11
3.375"	2.178"	.220"	Thrust Bearing	Enclosed	AL-N-2
3.341"	2.421"	.0138"	Bearing Race	4 I.D. tangs	TO-N-16
3.281"	2.388"	.272"	Thrust Bearing	Enclosed	GM-N-8HLT
3.228"	2.213"	.236"	Thrust Bearing	Enclosed	JA-N-13
3.228"	2.213"	.236"	Thrust Bearing	12-Tang	JA-N-15
3.226"	2.182"	.188"	Thrust Bearing	Enclosed	MI-N-28
3.126"	1.929"	.179"	Thrust Bearing	Partially enclosed, late-style	FD-N-10
3.120"	1.875"	.208"	Thrust Bearing	Enclosed	FD-N-9
3.085"	1.765"	.394"	Thrust Bearing	Enclosed	GM-N-13H
3.031"	2.047"	.236"	Thrust Bearing	Starburst bearing, 14-tang	JA-N-3
3.016"	2.536"	.079"	Bearing Race	4 I.D. tangs	MZ-N-2
3.011"	1.786"	.094"	Bearing Race	For GM-N-13H, OE# 9432558	GM-N-13R
3.000"	1.756"	.039"	Bearing Race	Early-style	GM-N-9H
3.000"	1.758"	.061"	Bearing Race	Early-style	GM-N-10H
2.992"	2.047"	.142"	Thrust Bearing	Enclosed, 3 I.D. tangs	RE-N-2
2.983"	2.167"	.197"	Thrust Bearing	Enclosed	MB-N-2
2.969"	2.138"	.151"	Thrust Bearing	Kit includes bearing, sleeve & shim	RE-N-1K
2.953"	2.165"	.118"	Thrust Bearing	Open	HO-N-6
2.913"	2.077"	.181"	Thrust Bearing	Enclosed	CH-N-2
2.890"	2.138"	.141"	Thrust Bearing	Enclosed	GM-N-14H
2.880"	1.992"	.197"	Thrust Bearing	Enclosed	FD-N-7
2.875"	2.125"	.078"	Thrust Bearing	NTA-3446, open	MI-N-10
2.875"	2.125"	.031"	Bearing Race	TRA-3446	MI-N-11
2.854"	1.732"	.150"	Thrust Bearing	Partially enclosed	TO-N-11
2.844"	1.435"	.148"	Thrust Bearing	Partially enclosed, early-style	GM-N-8H
2.839"	1.939"	.107"	Bearing Race	Late-style	FD-N-11
2.835"	1.890"	.185"	Thrust Bearing	Enclosed	CH-N-1
2.835"	1.969"	.177"	Thrust Bearing	Open	HO-N-4
2.784"	1.840"	.157"	Thrust Bearing	Enclosed	FD-N-8
2.750"	2.000"	.094"	Bearing Race	TRC-3244	MI-N-23
2.750"	2.000"	.079"	Thrust Bearing	NTA-3244, open	MI-N-8
2.750"	2.000"	.060"	Bearing Race	TRB-3244	MI-N-17
2.750"	2.000"	.031"	Bearing Race	TRA-3244	MI-N-9
2.726"	1.841"	.096"	Bearing Race	4 I.D. tangs	TO-N-12
2.717"	1.654"	.276"	Thrust Bearing	Enclosed, 14-tang	JA-N-4
2.703"	1.654"	.276"	Thrust Bearing	Enclosed, 7-tang	JA-N-6

[Click Here to Return to Table of Contents](#)

O.D.	I.D.	Thick	Item	Detail	Part Number
2.703"	1.839"	.118"	Bearing Race	4 I.D. tangs	TO-N-17
2.690"	1.740"	.150"	Thrust Bearing	Partially enclosed	TO-N-6
2.666"	1.946"	.180"	Thrust Bearing	Enclosed, 2.750" Flange O.D.	CH-N-3
2.638"	1.654"	.236"	Thrust Bearing	Enclosed	JA-N-5
2.638"	1.391"	.138"	Thrust Bearing	Enclosed	CH-N-8
2.614"	1.644"	.220"	Thrust Bearing	Enclosed, 6-tang	JA-N-9
2.589"	1.713"	.197"	Thrust Bearing	Enclosed, 3 external tabs	MB-N-1
2.588"	1.612"	.136"	Thrust Bearing	Enclosed, 6-tang	JA-N-8
2.570"	1.840"	.078"	Bearing Race	4 I.D. tangs	TO-N-7
2.543"	1.780"	.157"	Thrust Bearing	Open	HO-N-1
2.500"	1.750"	.078"	Thrust Bearing	NTA-2840, open	MI-N-6
2.500"	1.750"	.062"	Bearing Race	TRB-2840	MI-N-18
2.500"	1.750"	.031"	Bearing Race	TRA-2840	MI-N-7
2.480"	1.693"	.079"	Bearing Race	O.D. tang	FD-N-3
2.480"	1.693"	.039"	Bearing Race	O.D. tang	FD-N-2
2.440"	1.496"	.181"	Thrust Bearing	Enclosed	FS-N-4
2.436"	1.496"	.150"	Thrust Bearing	Partially enclosed	TO-N-13
2.433"	1.654"	.079"	Bearing Race	O.D. tang	FS-N-2
2.431"	1.506"	.179"	Thrust Bearing	Enclosed	JA-N-7
2.362"	1.575"	.118"	Thrust Bearing	Open	MI-N-3
2.362"	1.575"	.079"	Thrust Bearing	Open	FS-N-3
2.362"	1.575"	.079"	Bearing Race	1 I.D. tang, optional	TO-N-5
2.362"	1.575"	.039"	Bearing Race	I.D. tang	FS-N-1
2.362"	1.575"	.039"	Bearing Race	I.D. flange	FD-N-1
2.362"	1.575"	.039"	Bearing Race	Thick option	MB-WS-4060
2.362"	1.575"	.030"	Bearing Race	Thin option	MB-WS-4060T
2.362"	1.075"	.138"	Thrust Bearing	Enclosed	CH-N-9
2.358"	1.654"	.079"	Bearing Race	Use with MI-N-3	JA-N-2
2.350"	1.661"	.151"	Thrust Bearing	Enclosed	FD-N-5
2.290"	1.300"	.226"	Thrust Bearing Kit	Enclosed	MZ-N-10K
2.283"	1.540"	.141"	Thrust Bearing	Enclosed, flanged, late-style	FD-N-6
2.260"	0.819"	.110"	Thrust Bearing	Partially enclosed	MZ-N-4
2.255"	1.436"	.134"	Bearing Race	High performance upgrade	MI-N-24
2.250"	1.453"	.031"	Retainer Bearing	Cupped	GM-N-4H
2.188"	1.500"	.078"	Thrust Bearing	.078" Dia. roll	GM-N-1L
2.175"	1.506"	.156"	Thrust Bearing	.156" Dia. Roll	GM-N-2H
2.171"	1.506"	.125"	Thrust Bearing	.125" Dia. Roll	GM-N-1H
2.126"	1.260"	.075"	Bearing Race	Use with TO-N-10	TO-N-14
2.087"	1.408"	.156"	Bearing	Enclosed	RE-N-3
2.087"	1.390"	.079"	Bearing Race	6 I.D. tangs	MZ-N-5
2.078"	1.476"	.031"	Bearing Race	I. D. lip	GM-N-6H

[Click Here to Return to Table of Contents](#)

O.D.	I.D.	Thick	Item	Detail	Part Number
2.062"	1.375"	.094"	Bearing Race	TRC-2233	MI-N-22
2.062"	1.375"	.078"	Thrust Bearing	NTA-2031, open	MI-N-15
2.062"	1.375"	.062"	Bearing Race	TRB-2233	MI-N-20
2.062"	1.375"	.031"	Bearing Race	TRA-2233	MI-N-16
2.047"	1.112"	.110"	Thrust Bearing	Partially enclosed	TO-N-10
2.047"	1.575"	.276"	Ball Bearing	Direct OE Replacement	CH-N-10
2.031"	1.307"	.160"	Thrust Bearing	Enclosed	MB-N-3
1.938"	1.250"	.078"	Thrust Bearing	NTA-2031, open	MI-N-4
1.938"	1.250"	.060"	Bearing Race	TRB-2031	MI-N-12
1.938"	1.250"	.031"	Bearing Race	TRA-2031	MI-N-5
1.850"	1.378"	.276"	Ball Bearing	Front cover	FS-N-5
1.457"	0.827"	.039"	Bearing Race	Cupped, included in HO-N-2K	HO-N-2
1.378"	0.787"	.079"	Thrust Bearing	Included in HO-N-2K	MI-N-1
1.378"	0.787"	.039"	Bearing Race	Included in HO-N-2K	MI-N-2
1.368"	0.787"	.078"	Thrust Bearing	Partially enclosed	MZ-N-1
			Bearing Kit	Includes GM-N-1H, GM-N-4H, GM-N-6H	GM-N-1HK
			Bearing Kit	Includes GM-N-2H, GM-N-4H, GM-N-6H	GM-N-2HK
			Thrust Bearing Kit	Kit includes bearing, flat bearing race & cupped bearing race; direct OE replacement	HO-N-2K
			Thrust Bearing Kit	Kit includes thrust bearing & steel washer, direct replacement for OE bearing	JA-WS-1K
			Bearing Adapter	Starburst bearing adapter, 14-tang, use with CH-N-1	JA-WS-2
			Thrust Bearing Kit	Bearing kit has 1 bearing & 2 bearing races	MT-N-1K
			Thrust Bearing Kit	Kit replaces thrust bearing & 2 bearing races, items #12-14	TO-N-8K
			Thrust Bearing Kit	Replaces partially enclosed OE thrust bearing & 4-tanged bearing race, items #4 & 5. Stator modification required.	TO-N-9K
			Thrust Bearing Adapter Kit	Includes bearing, spacer & adapter. Replaces bearing & race, items #12 & 13. Requires stator & turbine hub modification.	TO-WS-3K
			Caged Needle Roller Bearing	Front cover	VW-N-2

[Click Here to Return to Table of Contents](#)

I.D.	Cross Section	Application	Material	Color	Part Number
4.237"	.103"	Chrysler 10-3/4" LU	Fluorocarbon	White Mark	CH-O-3V
4.158"	.103"	Chrysler 9-1/2" LU, 10" L/U	Fluorocarbon	Black	CH-O-6V
4.134"	.110"	Chrysler 9-1/2" LU, 10" LU, Oversized	Fluorocarbon	Black	CH-O-5V
3.307"	.097"	Volkswagen 096/01M, 098/01P; Audi 097/01N	Fluorocarbon	Black	VW-O-1V
3.247"	.098"	Mazda 4EAT-F (DA-50) Escort '96-Later	Fluorocarbon	Black	MZ-O-2V
3.237"	.103"	Mitsubishi, '99 Galant; ZF4HP16	Fluorocarbon	Black	MT-O-7V
3.150"	.098"	Chrysler 68RFE	Fluorocarbon	Black	CH-O-14V
3.106"	.103"	Jatco R4AX-EL (SU-19)	Fluorocarbon	Black	SU-O-1V
2.987"	.103"	Mitsubishi KM 175/176	Fluorocarbon	Orange	MT-O-4V
2.945"	.103"	ZF Sachs ZF5HP19	Fluorocarbon	Black	FS-O-3V
2.737"	.103"	ZF Sachs ZF5HP19, ZF5HP24, ZF6HP26	Fluorocarbon	Green	FS-O-2V
2.573"	.103"	Chrysler 45RFE	Fluorocarbon	Black	CH-O-11V
2.300"	.103"	GM 6L80-E/6L90	Fluorocarbon	Black	GM-O-11V
2.239"	.070"	Chrysler 10", 41TE & 42LE	Fluorocarbon	Black	CH-O-12V
2.205"	.080"	Mazda 4EAT, '96-Later	Fluorocarbon	Black	MZ-O-1V
2.156"	.134"	Ford AODE, E40D, 4R70W, Oversized	Fluorocarbon	Blue	FD-O-18V
2.156"	.128"	Ford AODE, E40D, 4R70W	Fluorocarbon	Black	FD-O-4V
2.115"	.103"	Jatco R4AX-EL (SU-16)	Fluorocarbon	Black	SU-O-2V
2.114"	.070"	GM 298mm LU, Standard Size	Fluorocarbon	Orange	GM-O-1V
2.087"	.103"	Mitsubishi F4/R4A51, F5/R5A51, Oversized	Fluorocarbon	Blue	MT-O-10V
2.087"	.097"	Mitsubishi F4/R4A51, F5/R5A51	Fluorocarbon	Black	MT-O-8V
2.050"	.108"	BW/Chrysler 618 310mm LU, Oversized	Fluorocarbon	Blue	GM-O-12V
2.050"	.103"	BW/Chrysler 618 310mm LU	Fluorocarbon	Black	GM-O-8V
2.047"	.079"	GM 298mm LU, Oversized	Fluorocarbon	Blue	GM-O-3V
1.937"	.096"	ZF Sachs OE Version	Fluorocarbon	N/A	FS-O-1V
1.864"	.077"	GM 4L80-E, Oversized	Fluorocarbon	Blue	GM-O-10V
1.864"	.070"	GM 4L80-E	Fluorocarbon	Orange	GM-O-2V
1.850"	.100"	Jatco JF404E	Fluorocarbon	Black	JA-O-10V
1.800"	.103"	Ford 6R60, 6R75W, 6R80	Fluorocarbon	Black	FD-O-23V
1.612"	.103"	Chrysler 45RFE/545RFE, 68RFE, Impeller Hub	Fluorocarbon	Black	CH-O-8V
1.575"	.109"	Ford CD4E, Oversized	Fluorocarbon	Blue	FD-O-17V
1.575"	.104"	Ford CD4E	Fluorocarbon	Black	FD-O-8V
1.516"	.079"	Jatco JF506E	Fluorocarbon	Black	JA-O-6V
1.500"	.139"	GM Bolt-Together Racekit	Fluorocarbon	Black	GM-O-15V
1.496"	.088"	Jatco L4N71B RWD, N4A-EL, RE4R03A, RE4R01A RWD, FL4F02A FWD, Oversized	Fluorocarbon	Blue	JA-O-3V
1.496"	.079"	Jatco L4N71B RWD, N4A-EL, RE4R03A, RE4R01A RWD, FL4F02A FWD	Fluorocarbon	Orange	JA-O-2V
1.466"	.075"	GM 300mm LU & 265mm LU, Viscous Damper	Fluorocarbon	Black	GM-O-9V
1.398"	.075"	Honda Impeller Hub	Fluorocarbon	Green	HO-O-2V
1.378"	.098"	GM 265mm LU	Fluorocarbon	Blue	GM-O-5V
1.364"	.070"	GM 258mm LU & Saturn Impeller Hubs	Fluorocarbon	Black	GM-O-6V
1.339"	.079"	Jatco L3N71B, JF403, RL3F01A	Fluorocarbon	Black	JA-O-1V
1.327"	.088"	Jatco L3N71B, JF403, RL3F01A, Oversized	Fluorocarbon	Black	JA-O-5V
1.301"	.070"	Honda Impeller Hub	Fluorocarbon	Black	HO-O-1V
1.260"	.079"	GM 245mm LU, Oversized	Fluorocarbon	Blue	GM-O-4V
1.239"	.070"	GM 245mm LU	Fluorocarbon	Orange	GM-O-21V
1.237"	.105"	Ford AXODE, Oversized	Fluorocarbon	Black	FD-O-13V
1.237"	.103"	Ford AXODE	Fluorocarbon	Black	FD-O-6V
1.174"	.103"	GM 6T70/6T75; Ford 6F50/6F55	Fluorocarbon	Black	GMFD-O-2V
1.171"	.139"	Ford AXOD	Fluorocarbon	Orange	FD-O-3V
1.102"	.098"	Saturn	Fluorocarbon	Blue	GM-O-7V
.676"	.070"	Chrysler 45RFE	Fluorocarbon	Black	CH-O-10V

[Click Here to Return to Table of Contents](#)

Housing Bore	Shaft Dia.	Application	Material	Part Number
1.260"	1.043"	Volkswagen 096/01M, 097/01N, 098/01P	Fluorocarbon	VW-O-2V
1.083"	.869"	Ford A0DE	Fluorocarbon	FD-O-5V
1.066"	.775"	Chrysler 10-3/4" LU & A999	Fluorocarbon	CH-O-1V
1.024"	.769"	Ford CD4E	Fluorocarbon	FD-O-7V
.984"	.669"	Mitsubishi KM 175/176	Fluorocarbon	MT-O-5V
.984"	.610"	Aisin AW 450-43LE & Toyota A442F	Fluorocarbon	TO-O-5V
.984"	.591"	Toyota A440	Fluorocarbon	TO-O-3V
.969"	.630"	Mitsubishi F4A42	Fluorocarbon	MT-O-6V
.945"	.709"	ZF Sachs ZF4HP22, 5HP30 & Ford 6R60, 6R75W, 6R80	Fluorocarbon	FS-O-27V
.929"	.591"	Aisin AW 55-50SN	Fluorocarbon	TO-O-7V
.925"	.610"	Toyota A43/140	Fluorocarbon	TO-O-2V
.925"	.591"	Toyota A131, A140, A540, A541, A340 & AW4	Fluorocarbon	TO-O-1V
.906"	.590"	Ford 4F27E (Focus)	Fluorocarbon	FD-O-10V
.852"	.531"	GM 6T40-E (236mm)	Fluorocarbon	GM-O-14V
.826"	.583"	ZF Sachs ZF4HP16	Fluorocarbon	FS-O-4V
.776"	.501"	Chrysler 9-1/2" LU & 10" LU	Fluorocarbon	CH-O-9V

[Click Here to Return to Table of Contents](#)

Shank Dia.	Length	Head Dia.	Head Type	Rivet Type	Part Number
.312"	.750"	.625"	Flat	Solid	GM-RV-6
.312"	.688"	.625"	Flat	Solid	GM-RV-5
.310"	.438"	.624"	Flat	Solid	AL-RV-1
.258"	.615"	.500"	Flat	Solid	BW-RV-2
.250"	.625"	.500"	Flat	Solid	TO-RV-3
.250"	.500"	.500"	Flat	Hollow	CH-RV-1
.250"	.375"	.500"	Flat	Solid	TO-RV-1
.248"	.593"	.500"	Flat	Hollow	CH-RV-2
.240"	.370"	.340"	Flat	Solid	CH-RV-5
.234"	.484"	.344"	Flat	Solid	JA-RV-4
.226"	.343"	.352"	Flat	Solid	MT-RV-1L
.226"	.281"	.352"	Flat	Solid	MT-RV-1
.225"	.515"	.344"	Flat	Solid	CH-RV-4
.225"	.605"	.388"	Countersunk	Solid	GM-RV-8
.223"	.450"	.352"	Flat	Solid	MZ-RV-2
.218"	.500"	.344"	Flat	Solid	MZ-RV-1L
.218"	.468"	.344"	Flat	Solid	MZ-RV-1
.218"	.438"	.438"	Flat	Solid	GM-RV-1
.218"	.400"	.312"	Flat	Solid	FD-RV-3
.218"	.375"	.312"	Flat	Hollow	FD-RV-1L
.218"	.312"	.312"	Flat	Hollow	FD-RV-1
.214"	.300"	.295"	Flat	Solid	MT-RV-2
.203"	.531"	.390"	Round	Hollow	JA-RV-1L
.203"	.500"	.390"	Round	Hollow	JA-RV-1
.203"	.421"	.344"	Flat	Solid	NI-RV-1
.203"	.218"	.390"	Round	Hollow	JA-RV-2
.198"	.378"	.312"	Flat	Solid	BW-RV-1
.198"	.515"	.300"	Flat	Solid	GM-RV-9
.193"	.500"	.333"	Flat	Solid	GM-RV-10
.188"	.390"	.406"	Flat	Solid	CV-RV-1
.185"	1.814"	.370"	Round	Ribbed	RE-RV-3
.183"	1.875"	.366"	Round	Ribbed	RE-RV-2
.165"	.530"	.312"	Flat	Solid	FS-RV-1L
.165"	.344"	.325"	Flat	Solid	CH-RV-3
.165"	.328"	.281"	Flat	Solid	VW-RV-1
.165"	.438"	.312"	Flat	Solid	FS-RV-1
.162"	.355"	.284"	Flat	Solid	RE-RV-1
.156"	.375"	.312"	Flat	Solid	GM-RV-4
.127"	.420"	.263"	Countersunk	Solid	FD-RV-7
				Standoff	CH-RV-6
				Standoff	FD-RV-8

[Click Here to Return to Table of Contents](#)

Application	O.D.	Width	Height	Description	Material	Color	Part Number
BorgWarner Bolted Aluminum	12.250"	.125"	.125"	Seal, Square Cut	Fluorocarbon	Black	FD-O-2
Mercedes 722.6, '96-Later & 722.9	6.740"	.083"	.115"	Seal, Solid	Fluorocarbon	Black	MB-O-2V
Jatco RE5R05A	6.220"	.089"	.158"	Seal, D-Shape	Fluorocarbon	Black	JA-O-9V
Chrysler 10-3/4" LU	4.428"	.033"	.090"	Back-Up Ring	PTFE	N/A	CH-O-2
Toyota A140E FWD	4.357"	.091"	.091"	Seal, Scarf Cut	PTFE	N/A	TO-O-110
Chrysler 9-1/2" LU & 10" LU	4.343"	.033"	.092"	Back-Up Ring	PTFE	N/A	CH-O-4
BorgWarner Bolted Aluminum	4.250"	.137"	.137"	Seal, Square Cut	Fluorocarbon	Black	FD-O-1
Toyota A131	4.020"	.091"	.091"	Seal, Scarf Cut	PTFE	N/A	TO-O-102
Ford Focus 4F27E	3.499"	.094"	.122"	Seal, Square Cut	PTFE	N/A	FD-O-11
Allison® 1000/2000/2400 Series, 2006-Later	2.953"	.091"	.085"	Seal, Scarf Cut	PTFE	N/A	AL-O-2
Ford 4R100 (Associated Item: FD-HT-31HS)	2.772"	.099"	.094"	Seal, Piston, Scarf Cut	PTFE	N/A	FD-O-9
Toyota Various; Aisin AW 55-50SN	2.687"	.091"	.091"	Seal, Scarf Cut	PTFE	N/A	TO-O-68
Jatco RE5R05A	2.540"	.083"	.158"	Seal, D-Shape	Fluorocarbon	Black	JA-O-8V
Ford A0DE, 4R70W	2.385"	.168"	.104"	Seal, Piston, Solid	PTFE	N/A	FD-O-19
Aisin AW 450-43LE	2.383"	.091"	.095"	Seal, Butt Cut	PTFE	N/A	TO-O-4
Allison® 1000/2000/2400 Series, Early	2.380"	.090"	.096"	Seal, Butt Cut	PTFE	N/A	AL-O-1
ZF Sachs	2.362"	.094"	.205"	Seal, Scarf Cut & Expansion Ring	PTFE	N/A	FS-O-60K
Mazda 4EAT/G4A-EL	2.358"	.095"	.102"	Seal, Scarf Cut	PTFE	N/A	FD-O-60
Mitsubishi F4A33, KM175/176 Late Model	2.283"	.079"	.118"	Seal, D-Shape	Fluorocarbon	N/A	MT-O-3V
Subaru RE4R01A	2.280"	.096"	.105"	Seal, Scarf Cut	PTFE	N/A	SU-O-58
Mercedes 722.6, '96-Later & 722.9	2.242"	.086"	.112"	Seal, Solid	Fluorocarbon	Black	MB-O-4V
Renault DPO & Peugeot AL4, 2005-Later	2.153"	.094"	.092"	Seal, Piston, Scarf Cut	PTFE	N/A	RE-O-2
Renault DPO, Peugeot AL4	2.130"	.074"	.079"	Seal, Special Cut	PEEK®	N/A	RE-O-1
Ford A4LD	2.043"	.088"	.101"	Seal, Scarf Cut	PTFE	N/A	FD-O-52
Ford 5R55N/S/W	1.730"	.102"	.114"	Full Circle	PTFE	Blue	FD-O-21
GM 300mm LU (4L60-E)	1.730"	.095"	.086"	Seal, Solid	PTFE	N/A	GM-O-13
Ford 5R55N/S/W	1.710"	.100"	.111"	Seal, Scarf Cut	PTFE	N/A	FD-O-15
Jatco RE5R05A	1.699"	.090"	.089"	Seal, Square Cut	PTFE	N/A	JA-O-7
Jatco RL4F03A & RL4F04A/V	1.689"	.092"	.092"	Seal, Scarf Cut	PTFE	N/A	JA-O-4
Ford 4F50N, AX4S, AX4N, CD4E 9-1/4"	1.683"	.130"	.095"	Full Circle	PTFE	Red	FD-O-20
Ford CD4E, 9-1/4" 3.0L, AX4S/AX4N (4F50N)	1.675"	.130"	.096"	Seal, Scarf Cut	PTFE	N/A	FD-O-16
Jatco RL4F03A	1.571"	.092"	.092"	Seal, Scarf Cut	PTFE	N/A	MZ-O-40
Aisin AW TF-60SN, VW 09G	1.562"	.090"	.093"	Seal, Piston, Scarf Cut	PTFE	N/A	VW-O-3
Ford AX4S/AX4N	1.559"	.092"	.100"	Seal, Piston, Scarf Cut	PTFE	N/A	FD-O-40
Aisin AW TF-81SC; Ford AF21	1.559"	.087"	.077"	Seal, Scarf Cut	PTFE	Black	FD-O-22
Honda MPYA	1.413"	.078"	.052"	Seal, Scarf Cut	PTFE	N/A	HO-O-36
Aisin AW 80/81-40LE (Toyota U440E)	1.263"	.077"	.082"	Seal, Scarf Cut	PTFE	N/A	TO-O-8
Mercedes 722.6, '96-Later & 722.9	.834"	.082"	.112"	Seal, Solid	PTFE	Orange	MB-O-5V